# HAMAMATSU

**TECHNICAL DATA** 

# PHOTOMULTIPLIER TUBES R3318, R3318-01

# Low Profile Photomultiplier Tubes For Scintillation Counting, Especially For Gamma Camera Square-shaped (2"x2") Envelope, High Space Efficiency Bialkali Photocathode, 10-stages, Head-On Type

| FEATURES Ty                             | pical Values |
|---|--------------|
| ● High Quantum Efficiency (at 420 nm)   | 27 %         |
| High Pulse Height Resolution            |              |
| with 137Cs Radiation Source             | 6.7 %        |
| with 57Co Radiation Source              | 8.8 %        |
| High Stability                          |              |
| Anode Current Drift (D.C.Output)        | 3 %          |
| Long Term (MGD) (For 16 hours at 1000 c | ps) 0.5%     |
| Short Term (From 10000 cps to 1000 cps) | 0.5%         |

### GENERAL

| GENERAL  |
|--|
| Spectral Response 300 to 650 nm (see Fig. 1)   |
| Wavelength of Maximum Response 420 $\pm$ 30 nm |
| Photocathode Material Bialkali                 |
| Window   |
| Material Borosilicate glass                    |
| Index of Refraction at 420 nm 1.500 ± 0.001    |
| Faceplate Flatness Less than ± 50 μm           |
| Shape Plano-plano                              |
| Dynode   |
| Secondary Emitting Surface Bialkali            |
| Structure Box and grid/mesh combination        |
| Number of Stages 10                            |
| Direct Interelectrode Capacitances (approx)    |
| Anode to Dynode No.10 5.0 pF                   |
| Anode to All Other Electrodes 12.0 pF          |
| Socket Hamamatsu E678-14A (Option)             |
|  |





Figure 1: Typical Spectral Response



### **MAXIMUM RATINGS (Absolute Maximum Values)**

| Supply Voltage                |               |
|-------------------------------|---------------|
| Between Anode and Cathode     | 1500 Vdc      |
| Between Anode and Last Dynode | 250 Vdc       |
| Average Anode Current A       | 0.1 mA        |
| Average Cathode Current A     | 50 nA         |
| Ambient Temperature           | 80°C to +50°C |

### **CHARACTERISTICS (at 25°C)**

| 0, m ii ii (0 1 2 i ii 0 1 i 0 )  |             |         |      |                  |
|-----------------------------------|-------------|---------|------|------------------|
| Cathode Sensitivity               | Min.        | Тур.    | Max. | Units            |
| Quantum Efficiency                |             |         |      |                  |
| at 420 nm                         | _           | 27      | _    | %                |
| Luminous B                        | 80          | 100     | _    | $\mu$ A/ $lm$    |
| Blue C                            | 10.0        | 11.5    | _    | μΑ/ <i>lm</i> -b |
| Anode Sensitivity                 |             |         |      |                  |
| Luminous D                        | 3           | 30      | _    | A/lm             |
| Blue E                            | _           | 3.5     |      | A/ <i>lm</i> -b  |
| Current Amplification D           |             | 3 x 10⁵ |      | _                |
| Anode Dark Current F              | _           | 2       | 20   | nΑ               |
| Time Response D                   |             |         |      |                  |
| Anode Pulse Rise Time G           |             | 4.8     | _    | ns               |
| Electron Transit Time H           | _           | 45      | _    | ns               |
| Transit Time Spread J             | _           | 5.8     | _    | ns               |
| Pulse Height Resolution K         |             |         |      |                  |
| with 137Cs                        |             | 6.7     |      | %                |
| with <sup>57</sup> Co             | <del></del> | 8.8     | _    | %                |
| Stability                         |             |         |      |                  |
| Anode Current Drift (DC Output) L |             | 3       | _    | %                |
| Long Term (MGD) M                 |             | 0.5     | _    | %                |
| Short Term M                      | _           | 0.5     | _    | %                |
|                                   |             |         |      |                  |

Table 1: Voltage Distribution Ratio

|                      |   |   |   |     |     |   |    |     |    |      |     |     |      |    | _   |     |     |   |
|----------------------|---|---|---|-----|-----|---|----|-----|----|------|-----|-----|------|----|-----|-----|-----|---|
| Electrode            | ŀ | < | G | Dy1 | Dy2 |   | Ŋ3 | Dy4 | Dy | /5 [ | Dy6 | Dy7 | ם  י | y8 | Dy9 | Dy  | /10 | P |
| Distributio<br>ratio | n | 1 | 1 |     | 1   | 1 | 1  | 1   | ı  | 1    | 1   |     | 1    | 1  | .   | ۱ : |     | 1 |

Supply Voltage: 1000 Vdc K: Cathode G: Grid Dy: Dynode P: Anode

### **NOTES**

- A. Averaged over any interval of 30 seconds maximum and the whole photocathode is illuminated.
- B. The light source is a tungsten filament lamp operated at a distribution temperature of 2856K. The light input is 0.01 lm and 150 volts are applied between the cathode and all other electrodes connected together as anode.
- C. The value is cathode output current when a blue filter (Corning CS No. 5-58 polished to 1/2 stock thickness) is interposed between the light source and the tube under the same condition as Note B.
- D. Measured with the same light source as Note B and the light input is  $0.1\mu lm$ . The anode-to-cathode supply voltage and voltage distribution ratio are shown in Table 1.
- E. The value is anode output current when a blue filter (Corning CS No. 5-58 polished to 1/2 stock thickness) is interposed between the light source and the tube under the same condition as Note D.
- F. Measured with the same supply voltage and voltage distribution ratio as Note D after 30-minute storage in darkness.
- G. The rise time is the time for the output pulse to rise from 10% to 90% of the peak amplitude when the entire photocathode is illuminated by a delta function light pulse.
- H. The electron transit time is the interval between the arrival of a delta function light pulse at the entrance window of the tube and the time the output pulse reaches the peak amplitude. In measurement the entire photocathode is illuminated.
- J. Also called transit time jitter. This is the fluctuation in electron transit time between individual pulses in the single photoelectron state, and may be defined as the FWHM of the frequency distribution of the transit times.
- K. The pulse height resolution is measured with an NaI(TI) scintillator (2" diameter x 2" thickness manufactured by Bicron type 2R2P or Harshaw Chemical BV type 8D8) and with the same supply voltage and voltage distribution ratio as Note D.
- L. The change in anode current for a period of 1 hour after warm-up of 10 minutes with an initial anode current of 100µA.
- M. A <sup>107</sup>Cs source and an Nal(Ti) scintillator on Note K are used to measure the pulse height resolution. The tube is allowed to warm up for 1 hour.
  - Long term (Mean gain deviation)
     This is defined as follows when the tube is

This is defined as follows when the tube is operated for 16 hours at a constant count rate of 1000 cps.

$$Dg = \frac{\sum_{i=1}^{n} |P-Pi|}{n} \cdot \frac{100}{P} (\%)$$

Where P is the mean pulse height averaged over n readings, Pi is the pulse height at the i-th reading, and n is the total number of readings.

2) Short term

This is gain shift with count rate. The tube is first operated at about 10000 cps. The photo-peak count rate is then decreased to approximately 1000 cps by increasing the distance between the <sup>137</sup>Cs source and scintillator coupled to the tube.

### **Warning-Personal Safety Hazards**

Electrical Shock — Operating voltage applied to this device presents a shock hazard.

# HAMAMATSU

Figure 2: Anode Sensitivity and Amplification Characteristics




Figure 4: Typical Temperature Coefficient of Anode Current




Figure 3: Typical Time Response





Figure 5: Example of Single Photoelectron Pulse Height Distribution



"m" is determined to satisfy the following equation.

$$\sum_{0.3m}^{m}$$
 (count rate) =  $\sum_{m}^{3m}$  (count rate)

Figure 6: Typical Temperature Characteristics of Pulse Height Using <sup>57</sup>Co and 2" dia. Nal (TI)




Figure 8: Typical Effect by Magnetic Fields




Figure 10: Socket (Unit: mm)




Figure 7: Typical Temperature Characteristics of Dark Current




Figure 9: Dimensional Outlines (Unit: mm)

# Basing Diagram (Bottom View) A DY6 DY7 DY5 3 3 3 DY8 DY4 6 DY7 DY3 5 DY9 DY3 5 DY9 DY3 5 DY9 DY3 5 DY9 DY7 DY8 Removed A DY6 6 7 3 3 DY9 DY5 6 7 3 DY9 DY5 6 7

FACEPLATE 70:11


SSAME.

PHOTOCATHODE 0515-15

8

July in BASE
JEDEC No. 614-36

Basing Diagram (Bottom View)



## HAMAMATSU

HAMAMATSU PHOTONICS K.K., Electron Tube Division 314-5, Shimokanzo, Toyooka-village, Iwata-gun, Shizuoka-ken, 438-01 Japan, Telephone: 053962/5248, Fax: 053962/2205, Telex: 4289-625

U.S.A.: Hamamatsu Corporation: 360 Foothill Road, P.O. Box 6910, Bridgewater, N.J. 08807-0910, Telephone: 201-231-0960, Fax: 201-231-1539
W.Germany: Hamamatsu Photonics Deutschland GmbH: Arzbergerstr. 10, D-8036 Herrsching am Ammersee, Telephone: 08152-375-0, Fax: 08152-2658
United Kingdom: Hamamatsu Photonics UK Limited: Lough Point, 2 Gladbeck Way, Windmill Hill, Enfield, Middlesex EN2 7JA, England, Telephone: 01-367-6384
France: Hamamatsu Photonics France: Zone ORLYTECH - Båt. A3 - Allée du Cdt Mouchotte, 91560 PARAY VIEILLE POSTE, Telephone: (1) 49 75 56 80, Fax: (1) 49 75 56 87
North Europe: Hamamatsu Photonics Norden AB: Kanalvägen 20, S-194 61 Upplands Väsby, Sweden, Telephone: 0760/32190, Fax: 0760/94567