

RUPAK MAHAPATRA - PUBLICATIONS

February 7, 2007

My critical contributions are in Papers marked with ***

1. D. S. Akerib *et al.* [CDMS Collaboration], “CDMS, Supersymmetry and Extra Dimensions”, Nucl. Instrum. Meth. A **559**, 411 (2006). *Prepared for 7th UCLA Symposium on Sources and Detection of dark Matter and Dark Energy in the Universe. Marina del Rey, California, 22-24 Feb 2006.* [arXiv:astro-ph/0609189].
2. D. S. Akerib *et al.* [CDMS Collaboration], “The SuperCDMS proposal for dark matter detection”, Nucl. Instrum. Meth. A **559**, 411 (2006). *Prepared for 11th International Workshop on Low Temperature Detectors (LTD-11), Tokyo, Japan, 31 July-5 Aug 2005.*
3. *** D. S. Akerib *et al.* [CDMS Collaboration], “Limits on spin-dependent WIMP nucleon interactions from the Cryogenic Dark Matter Search”, Phys. Rev. D **73**, 011102 (2006) [arXiv:astro-ph/0509269].
4. *** D. S. Akerib *et al.* [CDMS Collaboration], “Limits on spin-independent WIMP nucleon interactions from the two-tower run of the Cryogenic Dark Matter Search”, Phys. Rev. Lett. **96**, 011302 (2006) [arXiv:astro-ph/0509259].
5. *** D. S. Akerib *et al.* [CDMS Collaboration], “Exclusion limits on the WIMP nucleon cross-section from the first run of the Cryogenic Dark Matter Search in the Soudan underground lab”, Phys. Rev. D **72**, 052009 (2005) [arXiv:astro-ph/0507190].
6. I. R.W.Ogburn *et al.* [CDMS II Collaboration], “Progress of CDMS-II at the Soudan mine”, eConf **C041213**, 2512 (2004).
7. P. L. Brink *et al.* [CDMS-II Collaboration], “Beyond the CDMS-II dark matter search: SuperCDMS”, eConf **C041213**, 2529 (2004) [arXiv:astro-ph/0503583].
8. R. W. Schnee *et al.* [The SuperCDMS Collaboration], “The super-CDMS experiment”, arXiv:astro-ph/0502435.

9. *** R. Mahapatra *et al.* [CDMS-II Collaboration], First Results From the Cryogenic Dark Matter Search in Soudan, *Proc. of the 10th international symposium on Particles, Strings and Cosmology*, Northeastern University, Boston, August 16-22, 2004, to be published by World Scientific (2004).
10. *** D. S. Akerib *et al.*, “Installation and commissioning of the CDMSII experiment at Soudan”, *Nucl. Instrum. Meth. A* **520**, 116 (2004).
11. D. S. Akerib *et al.*, “Further results from the CDMS experiment”, *Nucl. Instrum. Meth. A* **520**, 105 (2004).
12. D. S. Akerib *et al.* [CDMS Collaboration], “First results from the cryogenic dark matter search in the Soudan Underground Lab,” arXiv:astro-ph/0405033.
13. *** D. M. Asner *et al.* [CLEO Collaboration], “Observation of eta/c’ production in gamma gamma fusion at CLEO”, *Phys. Rev. Lett.* **92**, 142001 (2004) [arXiv:hep-ex/0312058].
14. *** D. S. Akerib *et al.* [CDMS Collaboration], “New results from the Cryogenic Dark Matter Search experiment”, *Phys. Rev. D* **68**, 082002 (2003) [arXiv:hep-ex/0306001].
15. S. Anderson *et al.* [CLEO Collaboration], “Measurements of inclusive $B \rightarrow \psi$ production”, *Phys. Rev. Lett.* **89**, 282001 (2002).
16. N. E. Adam *et al.* [CLEO collaboration], “Determination of the anti-B $\rightarrow D^* l$ anti-nu decay width and $|V(cb)|$. ((B))”, *Phys. Rev. D* **67**, 032001 (2003) [arXiv:hep-ex/0210040].
17. R. A. Briere *et al.* [CLEO Collaboration], “Measurement of the lepton energy in the decay anti-B $\rightarrow X l$ anti-nu and determination of the heavy quark expansion parameters. ((B))”, arXiv:hep-ex/0209024.
18. S. Chen *et al.* [CLEO Collaboration], “Search for neutrinoless tau decays involving the K0(S) meson”, *Phys. Rev. D* **66**, 071101 (2002) [arXiv:hep-ex/0208019].

19. S. A. Dytman *et al.* [CLEO Collaboration], “Measurement of exclusive B decays to final states containing a charmed baryon. ((B))”, Phys. Rev. D **66**, 091101 (2002) [arXiv:hep-ex/0208006].
20. R. Ammar *et al.* [CLEO Collaboration], “Observation of the decay $\Omega/c0 \rightarrow \Omega^- e^+ \nu/e$ ”, Phys. Rev. Lett. **89**, 171803 (2002) [arXiv:hep-ex/0207078].
21. H. Muramatsu *et al.* [CLEO Collaboration], “Dalitz analysis of $D0 \rightarrow K0(S) \pi^+ \pi^-$. ((B))”, Phys. Rev. Lett. **89**, 251802 (2002) [Erratum-ibid. **90**, 059901 (2003)] [arXiv:hep-ex/0207067].
22. A. Bornheim *et al.* [CLEO Collaboration], “Preliminary results on $|V(ub)|$ from inclusive semileptonic B decays with neutrino reconstruction. ((B))”, arXiv:hep-ex/0207064.
23. D. Cinabro *et al.* [CLEO Collaboration], “Study of two-photon transitions in CLEO-III Upsilon(3S) data”, arXiv:hep-ex/0207062.
24. S. E. Csorna *et al.* [CLEO Collaboration], “First observation of Upsilon(1D) states”, arXiv:hep-ex/0207060.
25. S. Anderson *et al.* [CLEO Collaboration], “Measurement of inclusive $B \rightarrow \psi$ production. ((B))”, arXiv:hep-ex/0207059.
26. A. H. Mahmood *et al.* [CLEO Collaboration], “Search for $\eta/b(1S)$ in inclusive radiative decays of the Upsilon(3S)”, arXiv:hep-ex/0207057.
27. S. Ahmed *et al.* [CLEO Collaboration], “Measurement of $B(B^- \rightarrow D0 \pi^-)$ and $B(\text{anti-}B0 \rightarrow D^+ \pi^-)$ and isospin analysis of $B \rightarrow D \pi$ decays”, Phys. Rev. D **66**, 031101 (2002) [arXiv:hep-ex/0206030].
28. E. Eckhart *et al.* [CLEO Collaboration], “Observation of $B \rightarrow K0(S) \pi^+ \pi^-$ and evidence for $B \rightarrow K^{*+} \pi^-$ ”, Phys. Rev. Lett. **89**, 251801 (2002) [arXiv:hep-ex/0206024].
29. Z. Metreveli *et al.* [CLEO Collaboration], “Correlated inclusive Lambda Antilambda production in $e^+ e^-$ annihilations at $s^{*(1/2)}$ approx. 10.5-GeV”, Phys. Rev. D **66**, 052002 (2002) [arXiv:hep-ex/0205085].

30. *** K. Benslama *et al.* [CLEO Collaboration], “Anti-search for the glueball candidate $f(J)(2220)$ in two-photon interactions”, *Phys. Rev. D* **66**, 077101 (2002) [arXiv:hep-ex/0204019].
31. K. W. Edwards *et al.* [CLEO Collaboration], “Search for lepton flavor violating decays of B mesons”, *Phys. Rev. D* **65**, 111102 (2002) [arXiv:hep-ex/0204017].
32. R. A. Briere *et al.* [CLEO Collaboration], “Improved measurement of $|V(cb)|$ using anti-B $\rightarrow D^* l \nu$ decays”, *Phys. Rev. Lett.* **89**, 081803 (2002) [arXiv:hep-ex/0203032].
33. G. Brandenburg *et al.* [CLEO Collaboration], “Measurement of the $D^+ \rightarrow \text{anti-K}^0 l^+ \nu/l$ branching fraction”, *Phys. Rev. Lett.* **89**, 222001 (2002) [arXiv:hep-ex/0203030].
34. S. B. Athar *et al.* [CLEO Collaboration], “Measurement of the ratio of branching fractions of the Upsilon(4S) to charged and neutral B mesons”, *Phys. Rev. D* **66**, 052003 (2002) [arXiv:hep-ex/0202033].
35. A. Bornheim *et al.* [CLEO Collaboration], “Improved measurement of $|V(ub)|$ with inclusive semileptonic B decays”, *Phys. Rev. Lett.* **88**, 231803 (2002) [arXiv:hep-ex/0202019].
36. *** R. K. Mahapatra, “Measurements of the mass, total width and two photon partial width of the η' meson”, UMI-99-91432
[?]
37. G. Masek *et al.* [CLEO Collaboration], “Further experimental studies of two-body radiative Upsilon decays”, *Phys. Rev. D* **65**, 072002 (2002) [arXiv:hep-ex/0201005].
38. R. Mahapatra *et al.* [CLEO Collaboration], “Observation of exclusive anti-B $\rightarrow D^{(*)} K^{*-}$ decays”, *Phys. Rev. Lett.* **88**, 101803 (2002) [arXiv:hep-ex/0112033].
39. G. Bonvicini *et al.* [CLEO Collaboration], “Search for CP violation in $\tau \rightarrow K \pi \nu/\tau$ decays”, *Phys. Rev. Lett.* **88**, 111803 (2002) [arXiv:hep-ex/0111095].

40. S. E. Csorna *et al.* [CLEO Collaboration], “Lifetime differences, direct CP violation and partial widths in D0 meson decays to K+ K- and pi+ pi-”, Phys. Rev. D **65**, 092001 (2002) [arXiv:hep-ex/0111024].
41. M. Artuso *et al.* [CLEO Collaboration], “Measurement of the masses and widths of the Sigma/c++ and Sigma/c0 charmed baryons”, Phys. Rev. D **65**, 071101 (2002) [arXiv:hep-ex/0110071].
42. A. H. Mahmood *et al.* [CLEO Collaboration], “Measurement of the Xi/c+ lifetime”, Phys. Rev. D **65**, 031102 (2002) [arXiv:hep-ex/0110058].
43. T. E. Coan *et al.* [CLEO Collaboration], “Observation of anti-B0 → D0 pi0 and anti-B0 → D*0 pi0”, Phys. Rev. Lett. **88**, 062001 (2002) [arXiv:hep-ex/0110055].
44. A. Anastassov *et al.* [CLEO Collaboration], “First measurement of Gamma(D*+) and precision measurement of m(D*+) - m(D0)”, Phys. Rev. D **65**, 032003 (2002) [arXiv:hep-ex/0108043].
45. D. Cronin-Hennessy *et al.* [CLEO Collaboration], “Hadronic mass moments in inclusive semileptonic B meson decays”, Phys. Rev. Lett. **87**, 251808 (2001) [arXiv:hep-ex/0108033].
46. S. Chen *et al.* [CLEO Collaboration], “Branching fraction and photon energy spectrum for b → s gamma”, Phys. Rev. Lett. **87**, 251807 (2001) [arXiv:hep-ex/0108032].
47. S. A. Dytman *et al.* [CLEO Collaboration], “Evidence for the decay D0 → K+ pi- pi+ pi-”, Phys. Rev. D **64**, 111101 (2001) [arXiv:hep-ex/0108024].
48. S. Ahmed *et al.* [CLEO Collaboration], “First measurement of Gamma(D*+)”, Phys. Rev. Lett. **87**, 251801 (2001) [arXiv:hep-ex/0108013].
49. M. Artuso *et al.* [CLEO Collaboration], “Measurement of the Xi/c+ lifetime”, arXiv:hep-ex/0107040.
50. S. J. Richichi *et al.* [CLEO Collaboration], “Search for the decay Upsilon(1S) → gamma eta' ”, Phys. Rev. Lett. **87**, 141801 (2001) [arXiv:hep-ex/0107021].

51. S. Anderson *et al.* [CLEO Collaboration], “Improved upper limits on the FCNC decays $B \rightarrow K l^+ l^-$ and $B \rightarrow K^*(892) l^+ l^-$ ”, Phys. Rev. Lett. **87**, 181803 (2001) [arXiv:hep-ex/0106060].
52. R. Ammar *et al.* [CLEO Collaboration], “Search for the familon via $B^{+-} \rightarrow \pi^{+-} X_0$, $B^{+-} \rightarrow K^{+-} X_0$, and $B^0 \rightarrow K^0(S) X_0$ decays”, Phys. Rev. Lett. **87**, 271801 (2001) [arXiv:hep-ex/0106038].
53. A. Gritsan *et al.* [CLEO Collaboration], “Search for the decay $B^+ \rightarrow D^{*+} K^0(S)$ ”, Phys. Rev. D **64**, 077501 (2001) [arXiv:hep-ex/0105086].
54. K. W. Edwards *et al.* [CLEO Collaboration], “First observation of anti- $B^0 \rightarrow D^{*0} \pi^+ \pi^+ \pi^- \pi^-$ decays”, Phys. Rev. D **65**, 012002 (2002) [arXiv:hep-ex/0105071].
55. G. Brandenburg *et al.* [CLEO Collaboration], “Rate measurement of $D^0 \rightarrow K^+ \pi^- \pi^0$ and constraints on D^0 anti- D^0 mixing”, Phys. Rev. Lett. **87**, 071802 (2001) [arXiv:hep-ex/0105002].
56. *** B. I. Eisenstein *et al.* [CLEO Collaboration], “Experimental investigation of the two-photon widths of the χ/c^0 and the χ/c^2 mesons”, Phys. Rev. Lett. **87**, 061801 (2001) [arXiv:hep-ex/0104042].
57. P. Avery *et al.* [CLEO Collaboration], “Search for CP violation in $\tau \rightarrow \pi \pi^0 \nu/\tau$ decay”, Phys. Rev. D **64**, 092005 (2001) [arXiv:hep-ex/0104009].
58. D. M. Asner *et al.* [CLEO Collaboration], “Search for $B^0 \rightarrow \pi^0 \pi^0$ decay”, Phys. Rev. D **65**, 031103 (2002) [arXiv:hep-ex/0103040].
59. J. P. Alexander *et al.* [CLEO Collaboration], “First observation of anti- $B \rightarrow D^{(*)} \rho'^-$, $\rho'^- \rightarrow \omega \pi^-$ ”, Phys. Rev. D **64**, 092001 (2001) [arXiv:hep-ex/0103021].
60. T. E. Coan *et al.* [CLEO Collaboration], “First measurement of $\Gamma(D^{*+})$ ”, arXiv:hep-ex/0102007.
61. D. Cronin-Hennessy *et al.* [CLEO Collaboration], “Mixing and CP violation in the decay of neutral D mesons at CLEO”, arXiv:hep-ex/0102006.

62. A. Bornheim *et al.* [CLEO Collaboration], “Correlated Lambda/c+ anti-Lambda/c- production in e+ e- annihilations at s**(1/2) approx. 10.5-GeV”, Phys. Rev. D **63**, 112003 (2001) [arXiv:hep-ex/0101051].
63. R. A. Briere *et al.* [CLEO Collaboration], “Observation of B → Phi K and B → Phi K*”, Phys. Rev. Lett. **86**, 3718 (2001) [arXiv:hep-ex/0101032].
64. R. Godang *et al.* [CLEO Collaboration], “A search for charmless B → V V decays”, Phys. Rev. Lett. **88**, 021802 (2002) [arXiv:hep-ex/0101029].
65. D. E. Jaffe *et al.* [CLEO Collaboration], “Bounds on the CP asymmetry in like sign dileptons from B0 anti-B0 meson decays”, Phys. Rev. Lett. **86**, 5000 (2001) [arXiv:hep-ex/0101006].
66. G. Bonvicini *et al.* [CLEO Collaboration], “Search for CP violation in D0 → K0(S) pi0 and D0 → pi0 pi0 and D0 → K0(S) K0(S) decays”, Phys. Rev. D **63**, 071101 (2001) [arXiv:hep-ex/0012054].
67. S. E. Csorna *et al.* [CLEO Collaboration], “Evidence of new states decaying into Xi/c’ pi”, Phys. Rev. Lett. **86**, 4243 (2001) [arXiv:hep-ex/0012020].
68. S. Chan *et al.* [CLEO Collaboration], “A measurement of the decay asymmetry parameters in Xi/c0 → Xi- pi+”, Phys. Rev. D **63**, 111102 (2001) [arXiv:hep-ex/0011073].
69. S. Kopp *et al.* [CLEO Collaboration], “Dalitz analysis of the decay D0 → K- pi+ pi0”, Phys. Rev. D **63**, 092001 (2001) [arXiv:hep-ex/0011065].
70. A. H. Mahmood *et al.* [CLEO Collaboration], “Measurement of the Lambda/c+ lifetime”, Phys. Rev. Lett. **86**, 2232 (2001) [arXiv:hep-ex/0011049].
71. M. Artuso *et al.* [CLEO Collaboration], “Observation of new states decaying into Lambda/c+ pi- pi+”, Phys. Rev. Lett. **86**, 4479 (2001) [arXiv:hep-ex/0010080].

72. T. E. Coan *et al.* [CLEO Collaboration], “CP asymmetry in $b \rightarrow s\gamma$ decays”, Phys. Rev. Lett. **86**, 5661 (2001) [arXiv:hep-ex/0010075].
73. V. Savinov *et al.* [CLEO Collaboration], “Search for a scalar bottom quark with mass 3.5-GeV/c² to 4.5-GeV/c²”, Phys. Rev. D **63**, 051101 (2001) [arXiv:hep-ex/0010047].
74. S. J. Richichi *et al.* [CLEO Collaboration], “Study of $B \rightarrow \psi(2S) K$ and $B \rightarrow \psi(2S) K^*(892)$ decays”, Phys. Rev. D **63**, 031103 (2001) [arXiv:hep-ex/0010036].
75. D. Cronin-Hennessy *et al.* [CLEO Collaboration], “Observation of the Omega/c0 charmed baryon at CLEO”, Phys. Rev. Lett. **86**, 3730 (2001) [arXiv:hep-ex/0010035].
76. A. Anastassov *et al.* [CLEO Collaboration], “Study of tau decays to six pions and neutrino”, Phys. Rev. Lett. **86**, 4467 (2001) [arXiv:hep-ex/0010025].
77. S. Chen *et al.* [CLEO Collaboration], “Study of $\chi/c1$ and $\chi/c2$ meson production in B meson decays”, Phys. Rev. D **63**, 031102 (2001) [arXiv:hep-ex/0009044].
78. D. E. Jaffe *et al.* [CLEO Collaboration], “Search for direct CP violation in Xi hyperon decay”, arXiv:hep-ex/0009037.
79. S. Anderson *et al.* [CLEO Collaboration], “First observation of the decays $B_0 \rightarrow D^{*-} p \text{ anti-}p \pi^+$ and $B_0 \rightarrow D^{*-} p \text{ anti-}n$ ”, Phys. Rev. Lett. **86**, 2732 (2001) [arXiv:hep-ex/0009011].
80. D. Cronin-Hennessy *et al.* [CLEO Collaboration], “Observation of $B \rightarrow K^{+-} \pi^0$ and $B \rightarrow K^0 \pi^0$, and evidence for $B \rightarrow \pi^+ \pi^-$ ”, Phys. Rev. Lett. **85**, 515 (2000).
81. S. Ahmed *et al.* [CLEO Collaboration], “Measurements of $B \rightarrow D/s^{(*)} + D^{(*)}$ branching fractions”, Phys. Rev. D **62**, 112003 (2000) [arXiv:hep-ex/0008015].
82. T. E. Browder *et al.* [CLEO Collaboration], “A search for $B \rightarrow \tau \nu$ ”, Phys. Rev. Lett. **86**, 2950 (2001) [arXiv:hep-ex/0007057].

83. J. P. Alexander *et al.* [CLEO Collaboration], “Determination of the $B \rightarrow D^* l \nu$ decay width and $|V(cb)|$ ”, arXiv:hep-ex/0007052.
84. P. Avery *et al.* [CLEO Collaboration], “Evidence of new states decaying into $\Xi/c' \pi$ ”, arXiv:hep-ex/0007050.
85. P. Avery *et al.* [CLEO Collaboration], “Observation of new states decaying into $\Lambda/c+ \pi^- \pi^+$ ”, arXiv:hep-ex/0007049.
86. S. Ahmed *et al.* [CLEO Collaboration], “Observation of the $\Omega/c0$ charmed baryon at CLEO”, Int. J. Mod. Phys. A **16S1B**, 505 (2001) [arXiv:hep-ex/0007047].
87. G. Brandenburg *et al.* [CLEO Collaboration], “Study of $\chi/c1$ and $\chi/c2$ meson production in B meson decays”, arXiv:hep-ex/0007046.
88. T. Bergfeld *et al.* [CLEO Collaboration], “Search for decays of $B0$ mesons into pairs of leptons: $B0 \rightarrow e^+ e^-$, $B0 \rightarrow \mu^+ \mu^-$ and $B0 \rightarrow e^+ \mu^-$ ”, Phys. Rev. D **62**, 091102 (2000) [arXiv:hep-ex/0007042].
89. R. Ammar *et al.* [CLEO Collaboration], “First observation of the Σ/c^+ baryon and a new measurement of the Σ/c^+ mass”, Phys. Rev. Lett. **86**, 1167 (2001) [arXiv:hep-ex/0007041].
90. K. W. Edwards *et al.* [CLEO Collaboration], “Study of B decays to charmonium states $B \rightarrow \eta/c K$ and $B \rightarrow \chi/c0 K$ ”, Phys. Rev. Lett. **86**, 30 (2001) [arXiv:hep-ex/0007012].
91. *** G. Brandenburg *et al.* [CLEO Collaboration], “Measurements of the mass, total width and two-photon partial width of the η/c meson”, Phys. Rev. Lett. **85**, 3095 (2000) [arXiv:hep-ex/0006026].
92. M. Artuso *et al.* [CLEO Collaboration], “ $B \rightarrow D^* \pi^+ \pi^- \pi^0$, D^* omega π^- and the observation of a wide 1^- omega π^- enhancement at 1418-MeV”, arXiv:hep-ex/0006018.
93. C. P. Jessop *et al.* [CLEO Collaboration], “Study of charmless hadronic B meson decays to pseudoscalar vector final states”, Phys. Rev. Lett. **85**, 2881 (2000) [arXiv:hep-ex/0006008].

94. J. P. Alexander *et al.* [CLEO Collaboration], “Measurement of the relative branching fraction of Upsilon(4S) to charged and neutral B meson pairs”, Phys. Rev. Lett. **86**, 2737 (2001) [arXiv:hep-ex/0006002].
95. B. H. Behrens *et al.* [CLEO Collaboration], “Precise measurement of B0 anti-B0 mixing parameters at the Upsilon(4S)”, Phys. Lett. B **490**, 36 (2000) [arXiv:hep-ex/0005013].
96. R. Ammar *et al.* [CLEO Collaboration], “Measurement of the product branching fraction $B(c \rightarrow \text{Theta}/c X) B(\text{Theta}/c \rightarrow \text{Lambda} X)$ ”, Phys. Rev. D **62**, 092007 (2000) [arXiv:hep-ex/0004033].
97. P. Avery *et al.* [CLEO Collaboration], “Study of exclusive two-body B0 meson decays to charmonium”, Phys. Rev. D **62**, 051101 (2000) [arXiv:hep-ex/0004032].
98. R. A. Briere *et al.* [CLEO Collaboration], “Measurements of charm fragmentation into D/s*+ and D/s+ in e+ e- annihilations at $s^{**}(1/2) = 10.5\text{-GeV}$ ”, Phys. Rev. D **62**, 072003 (2000) [arXiv:hep-ex/0004028].
99. D. M. Asner *et al.* [CLEO Collaboration], “Resonance structure of tau- \rightarrow K- pi+ pi- nu/tau decays”, Phys. Rev. D **62**, 072006 (2000) [arXiv:hep-ex/0004002].
100. D. E. Jaffe *et al.* [CLEO Collaboration], “Measurement of B(Lambda/c+ \rightarrow p K- pi+)”, Phys. Rev. D **62**, 072005 (2000) [arXiv:hep-ex/0004001].
101. G. Bonvicini *et al.* [CLEO Collaboration], “Search for CP violation in B+- \rightarrow J/psi K+- and B+- \rightarrow psi(2S) K+- decays”, Phys. Rev. Lett. **84**, 5940 (2000) [arXiv:hep-ex/0003004].
102. E. Lipeles *et al.* [CLEO Collaboration], “Study of the decays B0 \rightarrow D(*)+ D(*)-”, Phys. Rev. D **62**, 032005 (2000) [arXiv:hep-ex/0002065].
103. R. Godang *et al.* [CLEO Collaboration], “Search for D0 anti-D0 mixing”, Phys. Rev. Lett. **84**, 5038 (2000) [arXiv:hep-ex/0001060].
104. S. E. Csorna *et al.* [CLEO Collaboration], “Measurement of the B0 and B+ meson masses from B0 \rightarrow psi(‘) K0(S) and B+ \rightarrow psi(‘) K+ decays”, Phys. Rev. D **61**, 111101 (2000) [arXiv:hep-ex/0001013].

105. D. Cronin-Hennessy *et al.* [CLEO Collaboration], “Study of two-body B decays to kaons and pions: Observation of $B \rightarrow \pi^+ \pi^-$, $B \rightarrow K^+ \pi^0$, and $B \rightarrow K^0 \pi^0$ decays”, arXiv:hep-ex/0001010.
106. S. Chen *et al.* [CLEO Collaboration], “Measurement of charge asymmetries in charmless hadronic B meson decays”, Phys. Rev. Lett. **85**, 525 (2000) [arXiv:hep-ex/0001009].
107. M. Artuso *et al.* [CLEO Collaboration], “Search for the decay $\text{anti-B}^0 \rightarrow D^{*0} \text{ gamma}$ ”, Phys. Rev. Lett. **84**, 4292 (2000) [arXiv:hep-ex/0001002].
108. S. J. Richichi *et al.* [CLEO Collaboration], “Two-body B meson decays to eta and eta’: Observation of $B \rightarrow \text{eta} K^*$ ”, Phys. Rev. Lett. **85**, 520 (2000) [arXiv:hep-ex/9912059].
109. T. E. Coan *et al.* [CLEO Collaboration], “Study of exclusive radiative B meson decays”, Phys. Rev. Lett. **84**, 5283 (2000) [arXiv:hep-ex/9912057].
110. S. Ahmed *et al.* [CLEO Collaboration], “Update of the search for the neutrinoless decay $\tau \rightarrow \mu \text{ gamma}$ ”, Phys. Rev. D **61**, 071101 (2000) [arXiv:hep-ex/9910060].
111. S. Anderson *et al.* [CLEO Collaboration], “Hadronic structure in the decay $\tau^- \rightarrow \pi^- \pi^0 \nu/\tau$ ”, Phys. Rev. D **61**, 112002 (2000) [arXiv:hep-ex/9910046].
112. T. Bergfeld *et al.* [CLEO Collaboration], “Observation of radiative leptonic decay of the tau lepton”, Phys. Rev. Lett. **84**, 830 (2000) [arXiv:hep-ex/9909050].
113. M. Artuso *et al.* [CLEO Collaboration], “Search for D^0 anti- D^0 mixing”, in *Proc. of the 19th Intl. Symp. on Photon and Lepton Interactions at High Energy LP99* ed. J.A. Jaros and M.E. Peskin, arXiv:hep-ex/9908040.
114. Y. Kwon *et al.* [CLEO Collaboration], “Study of charmless hadronic B decays into the final states $K \pi$, $\pi \pi$, and $K K$, with the first observation of $B \rightarrow \pi^+ \pi^-$ and $B \rightarrow K^0 \pi^0$ ”, in *Proc. of the 19th*

Intl. Symp. on Photon and Lepton Interactions at High Energy LP99
ed. J.A. Jaros and M.E. Peskin, arXiv:hep-ex/9908039.

115. T. E. Browder *et al.* [CLEO Collaboration], “Structure functions in the decay $\tau^+ \rightarrow \pi^+ \pi^0 \pi^0 \nu/\tau$ ”, Phys. Rev. D **61**, 052004 (2000) [arXiv:hep-ex/9908030].
116. T. E. Coan *et al.* [CLEO Collaboration], “Measurement of charge asymmetries in charmless hadronic B decay”, arXiv:hep-ex/9908029.
117. A. Anastassov *et al.* [CLEO Collaboration], “Update of the search for the neutrinoless decay $\tau \rightarrow \mu \gamma$ ”, arXiv:hep-ex/9908025.
118. K. W. Edwards *et al.* [CLEO Collaboration], “Resonant structure of $\tau \rightarrow 3\pi \pi^0 \nu/\tau$ and $\tau \rightarrow \omega \pi \nu/\tau$ decays”, Phys. Rev. D **61**, 072003 (2000) [arXiv:hep-ex/9908024].
119. S. Ahmed *et al.* [CLEO Collaboration], “ $b \rightarrow s \gamma$ branching fraction and CP asymmetry”, arXiv:hep-ex/9908022.
120. S. J. Richichi *et al.* [CLEO Collaboration], “Two-body B meson decays to eta and eta’: Observation of $B \rightarrow \eta K^*$ ”, arXiv:hep-ex/9908019.
121. C. P. Jessop *et al.* [CLEO Collaboration], “Two-Body B Meson Decays to η and η' -Observation of $B \rightarrow \eta K^*$ ”, arXiv:hep-ex/9908018.
122. C. P. Jessop *et al.* [CLEO Collaboration], “First observation of the decay $B \rightarrow J/\psi \Phi K$ ”, Phys. Rev. Lett. **84**, 1393 (2000) [arXiv:hep-ex/9908014].
123. S. Anderson *et al.* [CLEO Collaboration], “Observation of a broad $L = 1$ c anti-q state in $B^- \rightarrow D^{*+} \pi^- \pi^-$ at CLEO”, Nucl. Phys. A **663**, 647 (2000) [arXiv:hep-ex/9908009].
124. G. Brandenburg *et al.* [CLEO Collaboration], “Charged track multiplicity in B meson decay”, Phys. Rev. D **61**, 072002 (2000) [arXiv:hep-ex/9907057].
125. T. Bergfeld *et al.* [CLEO Collaboration], “Observation of radiative leptonic decay of the tau lepton”, arXiv:hep-ex/9907056.

126. R. A. Briere *et al.* [CLEO Collaboration], “Rare decays of the eta’ ”, Phys. Rev. Lett. **84**, 26 (2000) [arXiv:hep-ex/9907046].
127. M. Athanas *et al.* [CLEO Collaboration], “Limit on tau-neutrino mass from tau- \rightarrow pi- pi+ pi- pi0 nu/tau”, Phys. Rev. D **61**, 052002 (2000) [arXiv:hep-ex/9906015].
128. J. P. Alexander *et al.* [CLEO Collaboration], “Evidence of new states decaying into Xi/c* pi”, Phys. Rev. Lett. **83**, 3390 (1999) [arXiv:hep-ex/9906013].
129. B. H. Behrens *et al.* [CLEO Collaboration], “Measurement of B \rightarrow rho l nu decay and |V(ub)|”, Phys. Rev. D **61**, 052001 (2000) [arXiv:hep-ex/9905056].
130. D. M. Asner *et al.* [CLEO Collaboration], “Hadronic structure in the decay tau- \rightarrow nu/tau pi- pi0 pi0 and the sign of the tau neutrino helicity”, Phys. Rev. D **61**, 012002 (2000) [arXiv:hep-ex/9902022].
131. G. Bonvicini *et al.* [CLEO Collaboration], “Measurement of charm meson lifetimes”, Phys. Rev. Lett. **82**, 4586 (1999) [arXiv:hep-ex/9902011].
132. R. Godang *et al.* [CLEO Collaboration], “Search for baryon and lepton number violating decays of the tau lepton”, Phys. Rev. D **59**, 091303 (1999) [arXiv:hep-ex/9902005].
133. J. Bartelt *et al.* [CLEO Collaboration], “Measurement of the B \rightarrow D l nu branching fractions and form factor”, Phys. Rev. Lett. **82**, 3746 (1999) [arXiv:hep-ex/9811042].
134. M. Artuso *et al.* [CLEO Collaboration], “First observation of the decay B0 \rightarrow D*+ D*-”, Phys. Rev. Lett. **82**, 3020 (1999) [arXiv:hep-ex/9811027].
135. T. E. Coan *et al.* [CLEO Collaboration], “Search for exclusive rare baryonic decays of B mesons”, Phys. Rev. D **59**, 111101 (1999) [arXiv:hep-ex/9810043].
136. C. P. Jessop *et al.* [CLEO Collaboration], “Observation of two narrow states decaying into Xi/c+ gamma and Xi/c0 gamma”, Phys. Rev. Lett. **82**, 492 (1999) [arXiv:hep-ex/9810036].

137. S. J. Richichi *et al.* [CLEO Collaboration], “Study of 3-prong hadronic τ decays with charged kaons”, Phys. Rev. D **60**, 112002 (1999) [arXiv:hep-ex/9810026].
138. M. Bishai *et al.* [CLEO Collaboration], “First observation of the decay $\tau^- \rightarrow K^{*-} \eta \nu_\tau$ ”, Phys. Rev. Lett. **82**, 281 (1999) [arXiv:hep-ex/9809012].
139. S. Glenn *et al.* [CLEO Collaboration], “Upsilon dipion transitions at energies near the Upsilon(4S)”, Phys. Rev. D **59**, 052003 (1999) [arXiv:hep-ex/9808008].
140. A. Anastassov *et al.* [CLEO Collaboration], “First observations of Upsilon(1S) $\rightarrow \gamma \pi^+ \pi^-$ and Upsilon(1S) $\rightarrow \gamma \pi^0 \pi^0$ ”, Phys. Rev. Lett. **82**, 286 (1999) [arXiv:hep-ex/9807031].